

# Fire Response

Innovative Solutions Specialist

FIREBOX



FLIR  
Authorized Distributor



Fire Hydrant Flowmeter

SUPER VAC



AKRON



AKRON



STREAMLIGHT



HAZ-LO  
REVISION 1



AKRON



Portable Monitor



Lightweight Hose



STREAMLIGHT

Storz



Firemaster



Firemaster

FOCUS



1 AM

FOAM

[www.firerresponse.com.au](http://www.firerresponse.com.au)

Unit 13, 26 Oakdale Rd  
Gateshead NSW 2290 02 4944 7700  
[firemail@firerresponse.com.au](mailto:firemail@firerresponse.com.au)

**Fire Response is Australia's leading Fire, Safety and Rescue equipment wholesaler and supplier.**

Fire Response is Australia's leading Fire, Safety and Rescue equipment wholesaler and supplier. We represent a portfolio of world leading manufacturers such as: Akron Brass, AWG, VS Focum, One Seven CAFS, FLIR, Red Head Brass, Streamlight, Luitpold Schott, Super Vac and Phoenix pumps. Supplying fire equipment & fittings, PPV, ventilators, hand torches, scene lighting (both portable and fixed), thermal imaging cameras, superior firefighting foam, fire nozzles, fire monitors, watercart water cannons, foam equipment, hand rescue tools, portable water dams, hydrant flow test equipment, hose reels, fire hoses, storz fittings, BI fittings, portable firefighting pumps and more.

We are proud suppliers to Government & Industry, Mining, Defence and Fire companies. When Quality counts you can rely on Fire Response Pty Ltd. We are conveniently located in Lake Macquarie, NSW, distributing across Australia and Oceania. Our business supplies products to Fire and Emergency Services across Australia. Other industries we service include Mining, Petro-Chemical, Oil/Gas, Defence, Police, Ambulance, SES, Trades, Retail, Security, Airports, OEM's, Resellers etc. We offer equipment, flow and foam testing as well as presentations on transitioning your worksite to fluorine free foam. With many years experience in the Fire/Safety industry, Fire Response aims to deliver the highest level of product and service quality and total customer satisfaction. Our Customer Services team is always willing to assist you with your enquiries, process your order and provide you with the service and advice you require.

If you would like further information on our product range or would like an equipment demonstration, please contact our Sales team who will be happy to assist you on (02) 4944 7700 or, alternatively you can email us at [firemail@firerresponse.com.au](mailto:firemail@firerresponse.com.au)

Fire Response Pty Ltd are proud to be awarded the quality standards AS/NZS ISO 9001, ISO14001 and ISO45001



Akron Brass manufacture world leading products for fire and emergency services, mining, industrial, marine and defence. Their focus is to design and manufacture products that enable you to perform your job safely and efficiently. Fire Response is an authorised Australian Akron Brass service agent.



**HANDLINE NOZZLES**



**GROUND MONITORS**



**INDUSTRIAL**



**FIXED MONITORS**



**SCENE LIGHTING**



**FORESTRY MONITORS**



**VALVES**



**HOSE NOZZLES**



**TESTING EQUIPMENT**



**FOAM EQUIPMENT**

Be prepared for what lies on the other side of the smoke...

FLIR K series thermal imaging cameras lead the way in TIC technology and innovation. These cameras are purpose built for use in all Emergency Services markets in Australia. FLIR manufacture rugged, compact thermal cameras that serve as an extra set of eyes on the fire scene. Designed with ease-of-use in mind, the FLIR K Series helps you see through smoke, locate hotspots, and save lives - all with gloved hands.

A high performance thermal imaging camera is indispensable – a vital tool that helps you quickly visualise your plan of attack, locate hot spots, and save lives. Ideally, every fire truck or fire appliance should have at least one high-performance TIC on hand and FLIR is the first choice of emergency crews all over the world. Contact us today for more information or to organise a demonstration. Must be seen to be believed!





VS Focum have been manufacturing foam since 2002. Their world-class quality research and development has them constantly on top of the evolution of firefighting foams. These foams are certified to relevant standards and offer real alternatives to commonly used foams. Markets utilising VS Focum foam are chemical plants, fire brigades, airports, defence, power stations, motor industry, mining, helicopters, forestry, fuel terminals, tug boats. Our firefighting foam range includes industry-leading Fluorine Free Foams (Newtonian and Pseudoplastic), AFFF, training foams, Class A foams, forest fire retardant, and multi-expansion foams.

We can have VS Focum labs analyse and performance test your foam in line with international standards and we offer a valuable on site equipment and flow testing service to ensure the performance and safety of your system.

Plan your foam transition with our help. Our VS Focum Fluorine Free Foams do not contain any fluorosurfactant, any fluoropolymer or any silicon whilst retaining the highest fire fighting response. We offer transition planning guidance and presentations on worksite requirements and considerations to help you avoid costly mistakes.



#AFFF



#AFFF/AR



#ClassA



#ClassF/AR



#FFF (Fluorine Free)



#ForestFires




#MultiExpansion




Aviation Foam



#Silvra I



#FlowTest



#FoamTest

Akron Brass has been manufacturing firefighting nozzles since the early 1900s. Their equipment is trusted by firefighters the world over for their operational flexibility, stream performance, and flow control. They offer a variety of nozzle types, including straight stream, fog patterns, smooth bore, and adjustable gallonage.

The superior technology and performance of Akron Brass nozzles make them the best choice for firefighters.



Sourced from internationally renowned manufacturers, the FRPL range of forestry equipment includes products from VS Focum and Akron Brass. We have the tools and equipment to suit all your forestry operational rural fire fighting requirements.

We supply high quality bushfire equipment including hand tools, nozzles, portable water storage and more. Have you considered a FLIR Thermal Imaging Camera - crucial for identifying hotspots during cleanup?

We understand how crucial it is for you to be equipped with the right firefighting gear and that's why we focus on quality, performance and reliability. Here's a sample of our range. If you don't see it here or on our website, contact us and we'll find it.



FRPL supplies a number of adaptors to suit fire appliances across Australia, from metropolitan, rural, defence, forestry, industrial, building to mining and watercarts.

- brass
- aluminium
- forged
- stainless



Storz x Hosetail



Aus Standard Storz



Barway Couplings



Storz x Male



Forward Release Adaptor



BIM Threaded



Red Head Brass Fittings

We supply a range of Standpipes and accessories including controlled/uncontrolled, mechanically metered, single or double headed, handlever/wheel operated and with any state based adaptor outlet



#1-NPN5491



#143100



#120500



#10-WM654MSP



#142100



#1-153200



#Adaptor





#Layflat Hose



#Canvas Hose



#Booster Hose



#Hose Bandages



#Suction Hose



Lightweight Hose 38mm



Lightweight Hose 65mm



#NPN405



#053801



#2583



Hose Washing Machine



Luitpold Schott manufacture a range of Storz Fittings for every application, and in a range of materials i.e. forged aluminium, stainless steel and brass. Sizes range from 1 inch (25mm) through to 6 inch (150mm). We have numerous size combinations available between the tables below. Contact us with your specific requirements.

### STORZ x MALE THREADED ADAPTORS

| Part No:    | Description:                              | Certification: |
|-------------|-------------------------------------------|----------------|
| 3-SA1019M   | 25mm Storz x 19mm bspm, 031mm lug         |                |
| 3-SA10M     | 25mm Storz x 25mm bspm, 031mm lug         |                |
| 3-SA10MNHHT | 25mm Storz x 25mm NHm thread, 031mm lug   |                |
| 3-SA15M     | 38mm Storz x 38mm bspm, 052mm lug         |                |
| 3-SA15MS    | 38mm Storz x 38mm bspm, swivel, 052mm lug |                |
| 3-SA15MNHHT | 38mm Storz x 38mm NHm, 052mm lug          |                |
| 3-SA1520M   | 38mm Storz x 50mm bspm, 066mm lug         |                |
| 3-SA20M     | 50mm Storz x 50mm bspm, 066mm lug         |                |
| 3-SA2015M   | 50mm Storz x 38mm bspm, 066mm lug         |                |
| 3-SA25M     | 65mm Storz x 65mm bspm, 081mm lug         | NEN3374        |
| 3-SA25MNHHT | 65mm Storz x 65mm NHm, 081mm lug          |                |
| 3-SA2515M   | 65mm Storz x 38mm bspm, 081mm lug         |                |
| 3-SA2530M   | 65mm Storz x 70mm bspm, 081mm lug         |                |
| 3-SA30M     | 70mm Storz x 70mm bspm, 089mm lug         |                |
| 3-SA3025M   | 70mm Storz x 65mm bspm, 089mm lug         |                |
| 3-SA40M     | 100mm Storz x 100mm bspm, 115mm lug       |                |
| 3-SA50M     | 125mm Storz x 125mm bspm, 148mm lug       |                |
| 3-SA5040M   | 125mm Storz x 100mm bspm, 148mm lug       |                |
| 3-SA60M     | 150mm Storz x 150mm bspm, 160mm lug       |                |

### BRASS STORZ x MALE THREADED ADAPTORS

| Part No:   | Description:                             |
|------------|------------------------------------------|
| 3-SA1019MB | 25mm Storz x 19mm bspm, brass, lug 031mm |
| 3-SA10MB   | 25mm Storz x 25mm bspm, brass, 031mm lug |
| 3-SA1520MB | 38mm Storz x 50mm bspm, brass, 052mm lug |
| 3-SA20MB   | 50mm Storz x 50mm bspm, brass, 066mm lug |
| 3-SA2015MB | 50mm Storz x 38mm bspm, brass, 066mm lug |
| 3-SA2025MB | 50mm Storz x 65mm bspm, brass, 066mm lug |
| 3-SA25MB   | 65mm Storz x 65mm bspm, brass, 081mm lug |
| 3-SA2520MB | 65mm Storz x 50mm bspm, brass, 081mm lug |
| 3-SA30MB   | 75mm Storz x 75mm bspm, brass, 089mm lug |

### STORZ x FEMALE THREADED ADAPTORS:

| Part No:   | Description:                               | Certification: |
|------------|--------------------------------------------|----------------|
| 3-SA1019   | 25mm Storz x 19mm bspf, 081mm lug          |                |
| 3-SA10     | 25mm Storz x 25mm bspf, 031mm lug          | DIN14306       |
| 3-SA1015   | 25mm Storz x 38mm bspf, 031mm lug          |                |
| 3-SA15     | 38mm Storz x 38mm bspf, 052mm lug          |                |
| 3-SA2015   | 50mm Storz x 38mm bspf, 066mm lug          | DIN14307       |
| 3-SA20     | 50mm Storz x 50mm bspf, 066mm lug          |                |
| 3-SA2025   | 50mm Storz x 65mm bspf, lug 066mm          |                |
| 3-SA2520   | 65mm Storz x 75mm bspf, 081mm lug          |                |
| 3-SA2515   | 65mm Storz x 38mm bspf, 081mm lug          |                |
| 3-SA25NHHT | 65mm Storz x 65mm NHf (NST), 081mm lug     |                |
| 3-SA25T    | 65mm Storz x 65mm bspf (torque), 081mm lug |                |
| 3-SA2520   | 65mm Storz x 50mm bspf, 081mm lug          |                |
| 3-SA3020   | 75mm Storz x 50mm bspf, 089mm lug          |                |
| 3-SA3025   | 75mm Storz x 65mm bspf, 089mm lug          | DIN14308       |
| 3-SA30     | 75mm Storz x 75mm bspf, 089mm lug          |                |
| 3-SA40     | 100mm Storz x 100mm bspf, 115mm lug        |                |
| 3-SA50     | 125mm Storz x 125mm bspf, 148mm lug        |                |
| 3-SA5040   | 125mm Storz x 100mm bspf, 148mm lug        |                |
| 3-SA50NHHT | 125mm Storz x 125mm NHf (NST), 148mm lug   |                |
| 3-SA60     | 150mm Storz x 150mm bspf, 160mm lug        |                |
| 3-SA60NHHT | 150mm Storz x 150mm NHf (NST), 160mm lug   |                |

### STORZ CAPS


| Part No: | Description:                            | Certification: |
|----------|-----------------------------------------|----------------|
| 3-SC10   | 25mm Storz Cap                          |                |
| 3-SC10B  | 25mm Storz Cap, Brass                   |                |
| 3-SC15   | 38mm Storz Cap                          |                |
| 3-SC15B  | 38mm Storz Cap, Brass                   |                |
| 3-SC20   | 50mm Storz Cap                          | DIN 14311      |
| 3-SC20B  | 50mm Storz Cap, Brass                   | DIN 86206      |
| 3-SC25T  | 65mm Storz Cap                          |                |
| 3-SC25B  | 65mm Storz Cap, Brass                   |                |
| 3-SC30   | 75mm Storz Cap                          | DIN 14312      |
| 3-SC30B  | 75mm Storz Cap, Brass                   | DIN 86207      |
| 3-SC40   | 100mm Storz Cap, with 4 Ribs 100mm      |                |
| 3-SC40H  | Storz Cap, with 4 Ribs                  |                |
| 3-SC50   | 125mm Storz Cap                         |                |
| 3-SC50H  | 125mm Storz Cap, with 2 folding handles |                |
| 3-SC60   | 150mm Storz Cap                         |                |
| 3-SC60H  | 150mm Storz Cap, with 2 folding handles |                |

### STORZ x HOSETAIL COUPLINGS

| Part No: | Description:                                      | Certification: |
|----------|---------------------------------------------------|----------------|
| 3-ST10   | Storz D x 25mm Suction x 031mm lug                | DIN14301       |
| 3-ST10A  | Storz D-24mm Suction tails, lug 031mm             |                |
| 3-ST10B  | Storz D x 25mm Suction x 031mm lug, Brass         |                |
| 3-ST1019 | Storz D x 19mm Suction x 031mm lug                |                |
| 3-ST15   | Storz 38 x 38mm Suction tail, lug 052mm           |                |
| 3-ST15B  | Storz 38 x 38mm Suction tail, lug 052mm, Brass    |                |
| 3-ST20   | Storz C x 52mm Suction tail, lug 066mm            | DIN14321       |
| 3-ST20B  | Storz C x 52mm Suction tail, lug 066mm, Brass     |                |
| 3-ST25   | Storz 65 x 65mm Suction tail, lug 081mm           |                |
| 3-ST25B  | Storz 65 x 65mm Suction tail, lug 081mm, Brass    |                |
| 3-ST2515 | Storz 65 x 38mm Suction tail, lug 081mm           |                |
| 3-ST30   | Storz B x 75mm Suction / Delivery tail, lug 089mm | DIN14322       |
| 3-ST30B  | Storz B x 75mm Suction tail, lug 089mm, Brass     |                |
| 3-ST40   | Storz 100 x 100mm Suction tail, lug 115mm         |                |
| 3-ST50   | Storz 125 x 125mm Suction tail, lug 148mm         |                |
| 3-ST60   | Storz F x 150mm Suction tail, lug 160mm           |                |

### STORZ x STORZ SWIVELLING REDUCERS

| Part No:  | Description:                                       | Certification: |
|-----------|----------------------------------------------------|----------------|
| 3-SS1020  | 25mm Storz x 50mm Swivelling Storz                 | DIN 14341      |
| 3-SS1510  | 38mm Storz x 25mm Swivelling Storz                 |                |
| 3-SS1510S | 38mm Storz x 25mm Swivelling Storz, Torque 1.5-7Nm |                |
| 3-SS2030  | 50mm Storz x 25mm Swivelling Storz                 | DIN 14342      |
| 3-SS2030B | 50mm Storz x 75mm Swivelling Storz, Brass          |                |
| 3-SS3025  | 75mm Storz x Swivelling 65mm Storz                 |                |
| 3-SS2515S | 65mm Storz x 38mm Swivelling Storz, Torque 1.5-7Nm |                |
| 3-SS4030S | 100mm Storz x 75mm Swivelling Storz                |                |
| 3-SS5040S | 125mm Storz x 100mm Swivelling Storz               |                |
| 3-SS6050  | 150mm Storz x 125mm Swivelling Storz               |                |






EFFICIENT, PORTABLE, AND USER-FRIENDLY.

Test 4 hoses simultaneously!

The Barth P 2020 hose tester is a portable system designed for testing fire hoses in the field, ensuring they meet relevant industry standards without needing to be sent off-site. This tester can handle up to four hoses simultaneously, making it efficient for large-scale operations. The equipment is recognised for its quality German engineering and is suitable for various sectors including emergency services, mining, and industrial applications

The pressure testing pump is seamlessly integrated into the BARTH P2020's chassis for user-friendly operation. With the advanced Piston Pump and stainless steel piping, achieve a maximum flow rate of 52 L/min and a testing pressure of up to 24 bar (~348 psi).

You can find more details and specifications on the Fire Response website, along with details of our other related firefighting equipment.



Our range of analogue and digital meters are suitable for use in testing fire hydrants to Australian Standards, flow testing fire monitors or watercart water cannons, and in fire training grounds. We have meters for testing backflow, sprinkler systems, hose reels and hydrants. We have an exclusive range of Australian made devices uniquely suited to Australian requirements.

At Fire Response, we are dedicated to assisting you to achieve the optimum performance from your equipment and so we have introduced a flow testing and hydraulics service. Contact us to find out how our Hydraulics and Flow Testing can help you to reach higher standards of safety and more efficient, effective use of your equipment.



Fire Hose Reel Flowmeter



Digital Backflow Tester



Digital Sprinkler Flowmeter



Digital Fire Hydrant Flowmeter



Annubars



Hydrant & Pressure Flowmeter



Akroflow Portable Flow Meter



Hand Held Pitot



Friction Loss Calculator

Our generators and ventilators are supplied from internationally recognised brands such as Mitsubishi, Supervac & Honda. From portable models to large scale, we have all the PPV you need.

### DEWALT BATTERY POWERED



#V16-BD



#V18-BD

### MILWAUKEE BATTERY POWERED



#V16-BL



#V18-BL

Confined space - positive or negative pressure



#P8S



#P8XE

Hazardous locations



LARGE SCALE - 48 inch blade  
diesel or petrol



V SERIES NOW OFFERS CHOICE OF 4 BATTERY PLATFORMS



MAKITA



MILWAUKEE



DEWALT



LUKAS

Electric, Variable speed



Battery Smoke Ejector



Mister

Tilt frame



Spiral Duct

Portable fire pumps with unrivalled power and uncompromising reliability. Our rugged firefighting pumps are lightweight and ready to be deployed in an instant, providing constant, effective flow when you need it!

We have carefully selected a range of pumps from Phoenix Fire Pumps, Blazemaster and Davey. We offer high performance portable fire pumps for both the fire industry and marine market. They can also be used for irrigation, washing down farm machinery and other jobs that need pressurised water.



Premium Quality Fire Extinguishers for home, office, vehicle, caravan, etc

Do you need to upgrade your old extinguisher or purchase your first one? We have a variety of alternatives determined by the class of fire you are likely to be confronted with.

With the right fire equipment at hand, you can often control a fire before it spreads and gets out of control. It is essential that Australian companies have the right type of fire extinguisher installed in their workplace for the class of fire likely to occur.

Note: It is illegal to have pre 1997 extinguishers



ABE Dry Certified &  
Approved AS/NZS 1841.5



Air Water Certified &  
approved to AS/NZS 1841.2



CO2 certified & approved  
to AS/NZS 1841.6



Wet Chemical Certified &  
Approved AS/NZS 1841.3

All of our extinguishers are high performance rated and approved to AS 1841. Various sizes are available to suit your needs. Constructed from materials that are highly resistant to corrosion - stainless steel handles, brass valves and light weight aluminium cylinders. Brass mounting brackets are included.

The Trident Tripod Light from Command Lighting comes in a 40 or 50 inch configuration. Designed to meet the rigorous demands of firefighting scenarios, this powerful lighting system ensures optimal visibility in critical situations. With cutting-edge features like the Akron Brass Revel Light and Milwaukee Rechargeable Battery, you can trust the Trident 40 inch Tripod Light to deliver reliable performance when it matters most.

Extendable to 1779mm (approx. 70"), the Trident Tripod Light is durable, portable and adaptable. Available with other light heads and battery platforms to seamlessly fit in with your other equipment. Message board option also available. Contact us for more.



MAKITA



MILWAUKEE



DEWALT



LUKAS



**The Will-Burt Night Scan Lite** is a compact folding LED light tower that delivers fast and reliable scene illumination. Lightweight design - can be installed on nearly any flat vehicle or trailer surface. Designed for Australian Emergency Services application.

The Night Scan Lite is available in a 2 Light Head (40000 lumens) or 4 Light Head (80000 lumens) configuration.



Turn night into day! FRPL understand that you need to be prepared to fight fires day or night. We offer the best high intensity LED products, perfect for illuminating any environment.

Our range includes portable and rechargeable battery powered options - easily operated vehicle mounted LED; portable solutions; rechargeable and generator operated options. Output ranges from 1000 lumens up to 28000 lumens in DC or AC versions. Accessories such as towers, tripods and remote controls are also available.



- Full range of torches for all emergency and industrial portable lighting needs. See our website for our full range.
- Intrinsically safe models including ATEX and IECEx approval
- Rechargeable 240V AC and DC models
- Non rechargeable models
- Handheld torches, Portable Lighting, Tactical Lights, Helmet Mounted, Emergency Services, Industrial, Mining, etc. Plus accessories.

Please note: minimum order quantities apply on some products as set by Streamlight.





Akron Brass purpose designed the Severe Duty Mining range for use in the mining industry. Applications include dust suppression, heavy duty cleaning and fire fighting. These products are typically used on watercarts, in heavy vehicle washdown facilities, in processing facilities, and on emergency response vehicles. Widely used across Australia by mining companies, owner-operators and mining contractors.



#3524



#86251703



#0489



#0485



#3444



#3528



#3446



#3493



#3463



#3491



#3297



#34911000



#4471



Bringing you the world's best in water cannons, firefighting monitors and nozzles. We are the Akron Brass experts!

Fire Response offers a large range of high-performance firefighting monitors, water cannons and nozzles to suit a vast array of applications in industry, emergency services, mining, defense, marine, oil and gas refining, and more.

Our monitors and water cannons range from portable, temporary solutions to permanent installations with remote control operation.



MercuryMaster 1000  
Portable Monitor



Mercury Quick Attack  
Portable Monitor



Apollo Portable Monitor



Aries Monitor w 4450 nozzle



Forestry Monitor



Manual GP Monitor



DeckMaster



Firefox Electric Monitor



StreamMaster II



DeckMaster Riser



Universal II Logic Box



Oscillating Flange

Emergency services worldwide trust Alco monitors for their quality engineering, versatility and durability. They manufacture models suitable for stationary use or mobile deployment on vehicles, ships, and industrial plants.



Alco products are built to endure the toughest conditions. They are resistant to extreme stresses, including stone impacts, seawater, chemicals, and temperature fluctuations. Constructed from anodized or hard-anodized aluminum alloys and copper alloys, Alco monitors offer unparalleled resilience. A meticulous, high-quality lacquer coating adds an extra layer of durability.

Alco monitors are the result of extensive practical experience and continuous technical innovation. They are designed to operate efficiently with water, foam, and/or powder, ensuring you have the right monitor for every application.



#12142738  
APF 2 DC EVO



#12142338  
APF 2.5 DC EVO



#10509338 APF 2.5 C



#20808135  
APF 3 DC EVO



#12143835 APF 3 C EVO



#11201038 APF 1 DC EVO



#11208734  
TERRASTREAM 3



#12142338  
APF 8 DC



#11102599  
APF 2 TURBOFIGHTER

From design and engineering, to materials and manufacturing, AWG are committed to developing and manufacturing their products to all international standards.



AWG are world leading manufacturers of fire protection equipment with over 100 years of history. They supply fire brigade fittings, nozzles, monitors, inductors and more to firefighters the world over.

The latest technology, simple intuitive handling, robust reliability and resource saving are core AWG ideals, resulting in tools and equipment you can rely on to perform in an emergency.



#10117733  
Foam Tube Venturi



#10129933  
Medium Foam Gun



#60351434  
Heavy Foam Pipe S2



#60351534  
Heavy Foam Pipe S4



#1006633  
Heavy Foam Pipe S8



#60351699  
Medium Foam Pipe M2



#60351799  
Medium Foam Nozzle M4



#60400399  
Medium Foam Tube M8



#20232600  
Proportioner

AWG Firefighting Nozzles, engineered for superior performance and reliability in the most demanding situations.

Crafted with precision and durability, these nozzles offer unparalleled control and efficiency in firefighting operations. Featuring adjustable flow rates and a range of spray patterns, AWG nozzles ensure optimal water distribution for effective fire suppression. Whether for professional firefighters or industrial safety teams, AWG Firefighting Nozzles are the trusted choice for safeguarding lives and property.



One Seven CAFS (Compressed Air Foam Systems) delivers high-performance fire suppression for emergency services, mining operations, industrial facilities, energy plants, and high-risk environments.



Engineered in Germany, One Seven systems combine compressed air with precisely dosed foam to produce a fine, stable mixture while using significantly less water and concentrate than conventional methods. The result is faster knockdown, reduced water damage, extended operating time from smaller tanks, and improved safety for firefighters, making One Seven CAFS a proven, efficient solution for Australian firefighting demands.



**Fixed Systems** - One Seven Fixed Systems offer powerful, automated fire protection for industrial facilities, warehouses, data centres, energy plants, etc. Fast, efficient fire suppression, minimising water consumption while maximising fire control.



One Seven Wall Hydrant



One Seven Maxi-Xtinguisher



One Seven Stored Energy System

**Mobile Built-In Systems** - One Seven Built-In Fire Suppression Systems deliver fully integrated vehicle solutions for fire services, mining, and heavy industry in Australia. Compact and powerful, they provide reliable firefighting performance for new builds or retrofit installations across specialist and industrial fleets.



One Seven Built-In System



One Seven Retrofit Systems



One Seven Mining System


One Seven's advanced CAFS technology is setting new standards in fire suppression efficiency, safety, & performance. As the trusted distributor in Australia, we look forward to providing industries and emergency services with cutting-edge firefighting solutions that make a real impact.

**Proportioning Systems** - Precise, reliable foam concentrate dosing for firefighting operations. For maximum accuracy, these systems automatically adjust to changing flow rates & pressures, ensuring consistent foam quality and optimised extinguishing performance.

One Seven fixed proportioners integrate seamlessly into new builds or retrofit on fire trucks, sprinkler systems, & industrial systems, while the portable proportioner offers location flexibility. By guaranteeing exact proportioning from 0.1% to 6%, they reduce concentrate consumption, cut operating costs, and improve environmental sustainability.



Portable Proportioning System



24i and 48i Proportioners



16i and 32i Proportioners

**Self Contained CAFS** - One Seven Self Contained Systems bring the power of compressed air foam technology into a compact, stand-alone unit that can be mounted on 4WDs, utes, trailers and light vehicles. These systems are designed for mobility, speed, and reliability, giving crews the ability to reach and control incidents quickly – even in remote or hard-to-access areas.



OS-800-TPlus Self Contained



OS-900-TeC Self Contained



OS-900-TPlus Self Contained

**Fire Response**  
Innovative Solutions Specialist



**HERE TO HELP YOU!**

Unit 13, 26 Oakdale Rd  
Gateshead NSW 2290

**Australia**

02 4944 7700

**[firemail@firerresponse.com.au](mailto:firemail@firerresponse.com.au)**

**[www.firerresponse.com.au](http://www.firerresponse.com.au)**